# REDLINE Schedule "1"

## SECTION 159 DC.19 – GREENBURY ROW HOUSING SINGLE DETACHED DIRECT CONTROL DISTRICT

### (1) GENERAL PURPOSE

The purpose of this District is to allow Row Housing, Street Oriented with Secondary Suites, while maintaining the low-rise built form character of the neighbourhood.

The purpose of this District is to provide for two storey Single Detached Dwellings to balance the streetscape along Westwind Drive.

Permitted Uses	Discretionary Uses
Accessory Buildings	Show Home
Home Occupation, Minor	Sales Centre
Single Detached Dwelling	
<ul> <li>Row Housing, Street Oriented</li> </ul>	
<ul> <li>Secondary Suite</li> </ul>	

#### (2) DEVELOPMENT REGULATIONS

In addition to the Regulations contained in Part 6 General Regulations, Part 7 Special Regulations, Part 8 Parking Regulations, Part 9 Landscaping Regulations, and Part 10 Sign Regulations, the following regulations shall apply to all Development in this District.

	Site Standard	
Site Area (Minimum)	<u>■ 800 m²</u>	
Site Width (Minimum)	<ul> <li>Row Housing, Street Oriented (internal unit)</li> <li>Row Housing, Street Oriented (end unit)</li> </ul>	• 5.4 m • 6.7 m
Site Depth (Minimum)	Row Housing, Street Oriented	<u>● 30.0 m</u>
Front Yard Setback (Minimum)	<ul> <li>Row Housing, Street Oriented</li> <li>Row Housing, Street Oriented</li> <li>Abutting a Street</li> </ul>	• 1.2 m • 3.0 m
Rear Yard Setback (Minimum)	<ul> <li>Garage as an Accessory Building accessed from an Alley (setback excluding any corner cuts)</li> <li>Principal Building</li> </ul>	• 6.0 m • 14.0 m
Height (Maximum)	• Three storeys not to exceed 12.0 m	

Density	• 40 units per net hectare (minimum)
Site Coverage (Maximum):	◆ 50% for end units; 57% for internal Dwelling units with no Side Yard. In cases where the garage is not an integral part of the principal dwelling, the Dwelling shall not exceed 40% coverage with the total site coverage at 57%
Amenity Area (Minimum)	<ul> <li>7.5 m<sup>2</sup> per Dwelling for Row Housing for private outdoor Amenity Area</li> </ul>

	Site Standard	
Site Width (Minimum)	Single Detached Dwelling	• 8.5 m
Site Depth (Minimum)	Single Detached Dwelling	• 30.0 m
Front Yard Setback (Minimum)	Principal Building	• 4.5 m
Side Yard Setback	Street Side Yard	• 3.0 m
(Minimum)	All Other	• 1.2 m
Rear Yard Setback (Minimum)	Principal Building	• 7.0 m
Height (Maximum)	Two storeys not exceeding 10.0 m	
Density	25 units per net hectare (minimum)	
Site Coverage (Maximum):	• 50%	

#### (3) ADDITIONAL REGULATIONS

- (a) Notwithstanding the Front Yard and Side Yard requirements in (2), in the case of corner sites, the Development Officer shall determine the Setback for the additional Front Yard or Street Side Yard in accordance with Section 29 of this Bylaw and take into account the context of the Site and orientation of other Developments and Buildings on Adjacent Sites, the block face, and within the neighbourhood.
- (b) Row Housing, Street Oriented shall be developed:
  - (i) On its own block face;
  - (ii) With each dwelling individually defined through a combination of architectural features that may include variations in the rooflines, projection or recession of the façade, porches or entrance features, building materials, or other treatments;

- (iii) With the facades of a principal building abutting the front lot line and flanking side lot line on corner sites, using consistent building materials and architectural features; and
- (iv) Cross lot drainage easements may be required for surface drainage and roof leader drainage to accommodate center units
- (c) Garage as an Accessory Building shall be constructed at the same time as the Principal Building.

#### (4) ISSUANCE OF DEVELOPMENT PERMIT

Council shall delegate authority to a Development Officer to make decisions on Development Permit Applications pursuant to this Direct Control District.